

ActualCollection

WELCOME TO ACTUALCOLLECTION

ActualCollection dumps, higher pass rate



ActualCollection is a website offering the latest and valid actual exam dump to make you go through the actual test with a high score.



Quality and Value

ActualCollection Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



Easy to Pass

If you prepare for the exams using our ActualCollection testing engine, it is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



Try Before Buy

ActualCollection offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.actualcollection.com>

Actual dumps collection, higher pass rate

Exam : C2020-011

Title : IBM SPSS Statistics Level 1 v2

Vendors : IBM

Version : DEMO

NO.1 With IBM SPSS Statistics you can assign one of three levels of measurement to a variable. Which

is the correct list of all three levels?

- A. Nominal - Ordinal - Interval
- B. Categorical - Interval - Ratio
- C. Nominal - Ordinal - Scale
- D. Nominal - Interval – Scale

Answer: C

NO.2 If you request an aggregated dataset or data file in the Aggregate procedure, the number of cases

in the new aggregated file is equal to what?

- A. Number of cases in the original data file
- B. Number of aggregated summary variables
- C. Number of categories of the variables specified in the Break Variables list
- D. Number of cases that you specified in the Aggregate Data dialog box

Answer: C

NO.3 In the Aggregate data procedure¹ if you specify more than one Break Variable, _____ in the

Break Variables list will determine case order.

- A. Variable size
- B. Variable label
- C. Variable name
- D. Variable order

Answer: D

NO.4 If you use the IBM SPSS Statistics Select Cases dialog to conduct analysis on a subset of cases and you want to keep all cases in the same dataset, which option is appropriate?

- A. Copy unselected cases to a new dataset
- B. Copy selected cases to a new dataset
- C. Delete unselected cases
- D. Filter out unselected cases

Answer: D

NO.5 What type of graph would you use to see the distribution of a scale variable?

- A. Bar chart
- B. Pie chart
- C. Histogram
- D. Scatter plot

Answer: C

NO.6 In the output of the CROSSTABS procedure, large residuals indicate agreement between the data

and the null hypothesis of independence.

- A. True
- B. False

Answer: B

NO.7 When you read data stored in an Excel file via File ... Open ... Data, you may need to specify which options? (Choose three.)

- A. Read variable names from the first row of data
- B. Read a Range of cells
- C. Specify the Worksheet to read/import
- D. Number of Worksheets to read/import

Answer: A,B,C